CRAFTING ELEGANT RESTROOM SOLUTIONS

EST 2000

SUPER

CREATIONS

INTERIORS & EXTERIORS PVT LTD

22 YEARS OF SERVICE EXCELLENCE

"Since 2000 we've excelled in installing high quality innovative restroom products on schedule & within budget, time and time again."

ABOUT US

Super Creations is a pioneer in designing and implementing restroom cubicle solutions on a PAN India basis. With an experience of 22 plus years on delivering customer-centric solutions using high-quality products with a strong focus on timely-delivery and speedy-installation. We have been recognised as a vendor of choice by leading developers and architects.

Our wide network of certified installers and state-of-the-art machinery spread across locations help us deliver any shapes and sizes and has leveraged us to accept challenging projects and deadlines. This empowered our customers the luxury of last-in delivery and also factor last mile construction changes.

Restroom cubicle solutions from Super Creations are designed to be tough, durable, flexible and functional and come with a wide choice of sizes, shapes and colours.

10 YEARS ON COMPACT LAMINATES Warranty ON HARDWARE 1 YEAR

ANTIBACTERIAL

Super Creations is proud to associate with the following companies as authorised dealers and installers.

DEBO India

T Line Toilet Cubicles System

STYLAM INDUSTRIES LTD.

action TESA

VIRGO LAMINATES

GLAMIVA LAMINATES

On Time Supply

Superior Quality

Price Guarantee

Trusted Provider

Quick Fabrication

Maintenance Free

RESTROOM SYSTEMS

MATERIAL CONFIGURATION



Advantages of Dry Restroom System

- Space saving giving flexibility and space management options
- Hygienic and well ventilated
- Fire, water and scratch resistant
- Speedy installation and faster project completion
- Attractive colour and hardware options
- Reduction in steel and cement thereby reduced building load
- Overall cost saving
- Pioneering modern building construction & management system
- Long lasting and reusable

Disadvantages of Wet Restroom System

- Difficult to clean and to maintain hygiene standards
- Accumulation of dirt and stains
- Absorption of water in tile grout joints leads to bad odour
- Poor space management
- No natural ventilation
- Difficulty in procurement and replacement of tiles
- Higher building load
- High maintenance cost and supervision
- No scope of modification without loss of materials and money

Compact solid grade laminate board

The compact board comprises of cellulose fibrous material (generally paper). The core is made up of layers of cellulose fibers impregnated with thermosetting Phenolic Resin and the decorative design paper on both sides impregnated with special melamine resin is manufactured under the combined application of heat (1550 C) and high pressure (specific pressure: 9MPa/90 Bar) in a multi day light press in which resin poly condensation takes place to give the product that extra performance through & through - strength, durability and toughness. The board is manufactured as per IS 20146.

SMART SERIES

Bespoke, sleek design, easy maintenance and budget-friendly options make this the most popular model. Smart series is offered with Anodized Aluminium framework and choice of design of top rail combined with SS 316 and SS 304 accessories. High-performance spring hinges to provide a soft closing of doors and sustained use.

RECOMMENDED FOR USE AT

IT Parks | Malls | Colleges | Hospitals | Theatres

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	2000	2000 - 2250
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 2100

We know rest rooms for all your design and budget requirements.

INSTALLED AT

VAMSIRAM BUILDERS Passion • People • Performance

WONDERLA AMUSEMENT PARKS

BRIGADE

Meenakshi Your dreams, Our spirit

EXCEL SERIES

Bespoke, robust, sturdy and practical - Excel series offers aesthetic appeal with its designer looks, rebated door and flush façade. Multiple options in high-grade stainless steel SS 316 grade hardware, box type, round or sleek type top rails with attractive panel holders make it a perfect choice of designers.

RECOMMENDED FOR USE AT

IT Parks | Malls | Colleges | Hospitals | Theatres | Stadium

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	2000	2000 - 2250
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 2100

We are passionate about creating new standards of design, value, performance and choice.

INSTALLED AT

BAGMANE | AMARA RAJA Gotta be a better way | BHARTIYA CITY

EXCEL BOX-UP SERIES

Developed as per customers' request to offer additional privacy - Excel Box-Up series retains the robust and sturdy appearance of the Excel series. Further enhanced with a front and bottom stainless steel box delivering an enclosed and a clean look. This model is also recommended as a shower cubicle, change room and Indian style restrooms.

RECOMMENDED FOR USE AT

IT Parks | Malls | Colleges | Swimming Pools | Showers | Change Rooms

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	1950	1950 - 2100
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 1950

From bespoke design to reliable support and speedy service, we are customer-centric and are always focused on offering value.

INSTALLED AT

L & W Construction Pvt. Ltd. | Inorbit | PHOENIX Forever

ELEGANCE SERIES

Economical, budget-friendly and very easy to maintain - Elegance series is an efficient model using a sleek aluminium anodised and Nylon Polyamide hardware, apart from standard black. It is also offered in grey, off-white and white finishes.

RECOMMENDED FOR USE AT

IT Parks | Malls | Colleges | Hospitals | Theatres | Stadium

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	2000	2000 - 2250
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 2100

We ensure uncompromising quality and bring in excellent service even when you are choosing an economical model or solution.

INSTALLED AT

DivyaSree | L&T Infotech | Silver Oaks

ELEGANCE BOX-UP SERIES

Designed for budget-friendly and additional privacy - Elegance Box-Up series stands and delivers on performance. Developed as per recommendations to offer extra privacy with a front and bottom anodised aluminium section providing a boxed and clean look. This model is also extremely popular as a shower cubicle, change room and Indian style restrooms.

RECOMMENDED FOR USE AT

IT Parks | Malls | Colleges | Clubhouses | Showers | Change Rooms

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	1950	1950 - 2100
Width of cubicle	1200	1200 - 1500
Depth length	1530	1530 - 1830
Divider height	1800	1800 - 1950

We offer choice; We install restrooms to suit all your needs however challenging.

INSTALLED AT

Tech Mahindra | MY HOME GROUP | ASIAN CINEMAS

PROMINENCE SERIES

Minimalistic design, rebated facade and floor free access make this model the perfect choice for a designer restroom. Select grade load-bearing aluminium top rail is offered in extended and joint free lengths delivering a spectacular floating visual appeal.

RECOMMENDED FOR USE AT

IT Parks

Malls

Airports

Theatres

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	2105	2105 - 2400
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 2100

We deliver highly functional, affordable products that are designed to suit both your budget and your specifications. We always ask what more can we offer!

INSTALLED AT

SATTVA

GreenPark HOTELS

EMINENCE SERIES

Designed for a high visual and coordinated appeal and the need for complete privacy - Eminence Series offers a tall and stunning look with a rigid and concealed suspended frame hidden into the false ceiling to withstand repeated and multiple use. The entire restroom remains suspended with zero floor support facilitating easy maintenance.

RECOMMENDED FOR USE AT

IT Parks

Malls

Airports

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	2400	2400 - 3000
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 2100

Our product quality is uncompromising and in addition, we bring in excellent service that will make the difference.

INSTALLED AT

FLIPSPACES

Infosys

SKANDHANSHI

EXCELLENCE SERIES

A bespoke model with high strength and exceptional performance, an invisible framework complements the overall look of the restroom. It is offered in two variants of panel thickness available in complete 18mm or 18mm plus 12mm.

RECOMMENDED FOR USE AT

IT Parks

Malls

Airports

Stadium

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	1930	1930 - 2100
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 2100

Our team ensures the best quality finishes and high-performance joinery, which are long-lasting, time-tested and easily replaceable.

INSTALLED AT

KARLE INFRA

NSL INFRATECH
Creating a Better Tomorrow

EXPRESS SERIES

We are always on-call to meet your demands for the quickest and the simplest rest-room installation. All our products are supplied within 72 hours in bespoke or over-sized formats for on-site flexibility. Express is the fastest and the most hassle-free restroom solution.

RECOMMENDED FOR USE AT

IT Parks

Malls

Airports

Stadium

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	2000	2000 - 2250
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 2100

Speedy, easy and economical. Available in antique white & light grey colours.

INSTALLED AT

Dr.Reddy's

Aurobindo Committed to healthier life!

KIMS

SUPER & STAR KIDS SERIES

Is a cheerful, colourful and fun designer model which can be paired with matching tiles or motifs for young children and promotes the use of safe hygiene and safety standards. It is fabricated by using advanced cutting edge CNC machines which deliver creative curves, waves and slopes.

RECOMMENDED FOR USE AT

Play Areas

Schools

STANDARDS

Description	Standard(mm)	Customised(mm)
Total height from floor	2000	2000 - 2250
Width of cubicle	1200	1200 - 1500
Divider length	1530	1530 - 1830
Divider height	1800	1800 - 2100

We love to add colourful, lively finish with different curves and motifs to encourage regular use.

INSTALLED AT

Ambitus World School

CANADIAN INTERNATIONAL SCHOOL

TD SERIES

A perfect answer to retrofit renovation projects with existing brick walls. TD Series delivers the need for a change in doors and further benefits of easy maintenance. The construction uses a sleek aluminium anodised door profiles and variable options in Nylon and Stainless steel accessories. TD Series delivers long-lasting value with its ease of maintenance and water-resistant advantages.

RECOMMENDED FOR USE AT

IT Parks

Malls

Airports

Stadium

STANDARDS

Description	Standard(mm)	Customised(mm)
Door height	1800	1800 - 2100
Door width	600	750
Bottom gap	150	150
Panel thickness	12	12

We offer maximum flexibility in colour, range and budgets with the widest choice of joinery.

INSTALLED AT

Optimus

SVS PROJECTS

MODESTY PANELS (URINAL PARTITION)

Modesty panels pioneers the need for privacy and hygiene and raises the standards in a male restroom. It is available in variable sizes and designs and fixed using sturdy cross bracketed extra support Stainless Steel brackets.

We are specialists whether its health, safety, durability or any request we can offer you bespoke, innovative, fit-for-purpose solutions.

Hardware fittings should consist of

- Stainless steel 304 grade L-Brackets
- Stainless steel 304 Screws and PVC wall plugs.

Standard Size of Modesty Panels	500 mm (W) X 900 mm (H)
Customised Size of Modesty Panels	500 mm (W) X 1200 mm (H)

MODESTY PANELS :



SUPPORT GRAB BAR SYSTEMS

Special Support System & Grab bars constructed from high quality SS 304 and available with extra supports enabling rigid fixing for strong and additional support, keeping in mind the needs of the user and his safety. This collection is also available in special grade nylon grips in various colour options and designed for additional hygiene and safety. The special nylon grips with patterns are developed to withstand sensory shock effect both in cold and hot climates. All special needs systems are developed as per the ADA guidelines.

Grab bars are available in
two colour choices
WHITE / YELLOW





CERTIFICATIONS

TECHNICAL DATA SHEET-COMPACTS

SI. No.	Properties	Unit	Specification BS EN 438-4	Typical Values
1	Thickness	for 12 mm	12±0.6	12±0.6
		for 18 mm	18±0.7	18±0.7
2	Flatness	mm/m, max. deviation	3.0	3.0 max
3	Resistance to surface, wear value	Rev. Min.	350	370
4	Resistance to impact by large diameter ball	Drop height, min t ≥ 6mm	1800	2000
5	Resistance to scratches	Rating(min)		
		Smooth finishes	2	3
		Textured finishes	3	3
6	Rating(min)			
	Smooth finishes	Grade, Min	3	4
	Textured finishes	Grade, Min	4	5
7	Resistance to immersion in boiling water	t ≥ 12mm		
	a) Mass increase	% Max	2	0.8
	b) Thickness increase	% Max	2	1.0
	c) Appearance (texture finishers)	Grade, Min	3	4
8	Dimensional stability at eleveted temperature (t ≥ 12 mm)	(L)%, Max.	0.3	02
		(T)%, Max.	0.6	04
9	Resistance to staining :	Rating (min)		
	a) Group 1 & 2	Grade, Min.	5	5
	b) Group 3	Grade, Min.	4	5
10	Resistance to cigarette burns	Grade, Min.	3	4
11	Resistance to crazing	Grade, Min.	4	5
12	Resistance to steam/water vapor (texture finishes)	Grade, Min	4	5
13	Light fastness (xenon arc)	Grey scale rating	4-5	4-5
14	Flexural modulus	Stress Mpa (min)	9000	10000
15	Flexural strength	Stress Mpa (min)	80	90

SMART SERIES - BOQ

ITEM DESCRIPTION

Providing and fixing toilet cubicle systems of DEBO/STYLAM make and installed by Super Creations in standard dimensions of 900-1200mm width X 1500mm depth X 2000mm height with a door size of 600mm width X 1830mm height with 12mm thickness.

The solid grade Compact Laminate panels made of Phenolic resins under high pressure and temperature having density >1.40 kg/ m3, including doors, pilasters & intermediate panels, which are resistant to heat, bacteria, chemical, scratch, impact and water immersion through permissible increase on weight will be <0.60~0.8%.

Finished product will be as per approved texture, shade & drawing, detailing and developed according to IS-2046 and EN438 standards and as per fire retardant BS-476/97 standard. The product should have Green Guard Certificate. The toilet cubicle setup shall include necessary hardware fittings, made out of stainless steel (Grade-304 & 316), as per manufacturer's specifications and approved by the engineer.

Hardware fittings should consist of

- Aluminium anodised SS finish U-channels
- Aluminium anodised SS finish top rail
- Aluminium anodised SS finish door stopper channel
- Aluminium anodised SS finish L- channel
- SS 316 adjustable foot with 150mm clearance
- SS 304 indicator lock
- SS 304 door knob
- SS 304 coat hook
- SS 304 spring hinges
- SS 304 screws and PVC wall plugs
- Door noise reduction tape

The top fitting arrangement shall comprise of aluminum anodized top rail, fixed to pilasters. In the absence of brick walls, aluminum anodized L -channel(connected to the top rail) shall be used at the corners of the cubicle. All screws should be of stainless steel (Grade-304). All pilasters shall be supported by stainless steel (Grade-316) adjustable foot.

The base of the stainless steel adjustable leg shall be anchored to the floor with a clearance height of 150mm. The intermediate panel shall be of one continuous panel without any joint. All visible edges shall be chamfered.

EXCEL SERIES - BOQ

ITEM DESCRIPTION

Providing and fixing toilet cubicle systems of DEBO/STYLAM make and installed by Super Creations in standard dimensions of 900-1200mm width X 1500mm depth X 2000mm height with a door size of 600mm width X 1830mm height with 12mm thickness.

The solid grade Compact Laminate panels made of Phenolic resins under high pressure and temperature having density >1.40 kg/ m3, including doors, pilasters & intermediate panels, which are resistant to heat, bacteria, chemical, scratch, impact and water immersion through permissible increase on weight will be <0.60~0.8%.

Finished product will be as per approved texture, shade & drawing, detailing and developed according to IS-2046 and EN438 standards and as per fire retardant BS-476/97 standard. The product should have Green Guard Certificate. The toilet cubicle setup shall include necessary hardware fittings, made out of stainless steel (Grade-304 & 316), as per manufacturer's specifications and approved by the engineer.

Hardware fittings should consist of

- SS 304 U-channels
- SS 304 top rail
- SS 304 L-channel
- SS 316 adjustable foot with 150mm clearance
- SS 36 indicator lock
- SS 316 door knob
- SS 316 coat hook
- SS 316 spring hinges
- SS 304 screws and PVC wall plugs
- Door noise reduction tape

The top fitting arrangement shall comprise of stainless steel (Grade-304) top rail, fixed to pilasters. In the absence of brick walls, stainless steel (Grade-304) L - channel (connected to the top rail) shall be used on the corners of the cubicle. All screws should be of stainless steel (Grade-304). All pilasters shall be supported by stainless steel (Grade-316) adjustable foot.

The base of the stainless steel adjustable leg shall be anchored to the floor with a clearance height of 150mm. The intermediate panel shall be of one continuous panel without any joint. All visible edges shall be chamfered.

EST 2000

SUPER

CREATIONS

INTERIORS & EXTERIORS PVT LTD

HYDERABAD

BENGALURU

CHENNAI

Phone : +91 9949177111 | Email : sri@supercreationsindia.com | Web : www.toiletcubiclesindia.com